Author Index
Volume 16

Abdel-Malik, K. and Yeh, H.-Jou. Analytical boundary of the workspace for general 3-dof mechanisms [16:2] pp. 198–213.

Aoustin, Y. and Formal'sky, A. On the synthesis of a nominal trajectory for control law of a one-link flexible arm [16:1] pp. 36–46.

Ascher, U.M., Pai, D.K. and Cloutier, B.P. Forward dynamics, elimination methods, and formulation stiffness in robot simulation [16:6] pp. 749–758.

Barraquand, J., Kavraki, L., Latombe, J.-C., Li, T.-Y., Motwani, R. and Raghavan, P. A random sampling scheme for path planning [16:6] pp. 759–774.

Byun, Y.K. and Cho, H.S. Analysis of a novel 6-DOF 3-PPSP parallel manipulator [16:6] pp. 859–872.

Cameron, J. M. and Book, W. J. Modeling mechanisms with nonholonomic joints using the Botzmann-Hamel equations [16:1] pp. 47–59.

Canudas de Wit, C. NDoudi-Likoho, A. D. and Micaelli, A. Nonlinear control for a train-like vehicle [16:3] pp. 300–319.

Cipolla, R. and Blake, A. Image divergence and deformation from closed curves [16:1] pp. 77–96.

Colbaugh, R., Glass, K. and Barany, E. Adaptive regulation of manipulators using only position measurements [16:5] pp. 703–713.

Connolly, C. I. Harmonic functions and collision probabilities [16:4] pp. 497–507.

Demey, S., Bruyninckx, H. and De Schutter, J. Model-based planar contour following in the presence of pose and model errors [16:6] pp. 840–858.

De Schutter, J., Torfs, D., Bruyninckx, H. and Dutre, S. Invariant Hybrid Force/Position Control of a Velocity Controlled Robot with Compliant End Effector Using Modal Decoupling [16:3] pp. 340–356.

Donald, B.R., Jennings, J. and Rus, D. Information invariants for distributed manipulation [16:5] pp. 673–702.

Eberman, B. A model-based approach to Cartesian manipulation contact sensing [16:4] pp. 508–528.

Featherstone, R. and Khatib, O. Load independence of the dynamically consistent inverse of the Jacobian matrix [16:2] pp. 168–170.

Gonzalez-Galvan, E., Skaar, S.B., Korde, U.A. and Chen, W. Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation [16:2] pp. 240–257.

Gosselin, C.M. and St-Pierre, E. Development and experimentation of a fast 3-DOF camera-orientating device [16:5] pp. 619–630.

Iberall, T. Human prehension and dexterous robot hands [16:3] pp. 285–299.

Jimenez, M.A. and Gonzalez de Santos, P. Terrain-adaptive gait for walking machines [16:3] pp. 320–339.

Kanayama, Y. J. and Hartman, B. I. Smooth local-path planning for autonomous vehicles [16:3] pp. 263–284.

Kelly, R. PD control with desired gravity compensation of robotic manipulators: a review [16:5] pp. 660–672.

Kircanski, M. and Goldenberg, A.A. An experimental study of nonlinear stiffness, hysteresis, and friction effects in robot joints with harmonic drives and torque sensors [16:2] pp. 214–239.

Konno, A., Uchiyama, M., Kito, Y. and Murakami, M. Configuration-dependent vibration controllability of flexible-link manipulators [16:4] pp. 567–576.

Kriegman, D.J. Let them fall where they may: capture regions of curved objects and polyhedra [16:4] pp. 448–472.

LaValle, S.M. and Sharma, R. On motion planning in changing, partially- predictable environments [16:6] pp. 775–805.

Lee, D. and Recce, M. Quantitative evaluation of the exploration strategies of a mobile robot [16:4] pp. 413–447.

Li, T.-Y. and Latombe, J.-L. On-line manipulation planning for two robot arms in a dynamic environment [16:2] pp. 144–167.

Lim, D. and Seraji H. Configuration control of a mobile dexterous robot: real-time implementation and experimentation [16:5] pp. 601–618.

Massoud, A.T. and ElMaraghy, H.A. Model-based motion and force control for flexible-joint robot manipulators [16:4] pp. 529–544.

Author Index
Volume 16

Abdel-Malik, K. and Yeh, H.-Jou. Analytical boundary of the workspace for general 3-dof mechanisms [16:2] pp. 198–213.

Aoustin, Y. and Formal'sky, A. On the synthesis of a nominal trajectory for control law of a one-link flexible arm [16:1] pp. 36–46.

Ascher, U.M., Pai, D.K. and Cloutier, B.P. Forward dynamics, elimination methods, and formulation stiffness in robot simulation [16:6] pp. 749–758.

Barraquand, J., Kavraki, L., Latombe, J.-C., Li, T.-Y., Motwani, R. and Raghavan, P. A random sampling scheme for path planning [16:6] pp. 759–774.

Byun, Y.K. and Cho, H.S. Analysis of a novel 6-DOF 3-PPSP parallel manipulator [16:6] pp. 859–872.

Cameron, J. M. and Book, W. J. Modeling mechanisms with nonholonomic joints using the Botzmann-Hamel equations [16:1] pp. 47–59.

Canudas de Wit, C. NDoudi-Likoho, A. D. and Micaelli, A. Nonlinear control for a train-like vehicle [16:3] pp. 300–319.

Cipolla, R. and Blake, A. Image divergence and deformation from closed curves [16:1] pp. 77–96.

Colbaugh, R., Glass, K. and Barany, E. Adaptive regulation of manipulators using only position measurements [16:5] pp. 703–713.

Connolly, C. I. Harmonic functions and collision probabilities [16:4] pp. 497–507.

Demey, S., Bruyninckx, H. and De Schutter, J. Model-based planar contour following in the presence of pose and model errors [16:6] pp. 840–858.

De Schutter, J., Torfs, D., Bruyninckx, H. and Dutre, S. Invariant Hybrid Force/Position Control of a Velocity Controlled Robot with Compliant End Effector Using Modal Decoupling [16:3] pp. 340–356.

Donald, B.R., Jennings, J. and Rus, D. Information invariants for distributed manipulation [16:5] pp. 673–702.

Eberman, B. A model-based approach to Cartesian manipulation contact sensing [16:4] pp. 508–528.

Featherstone, R. and Khatib, O. Load independence of the dynamically consistent inverse of the Jacobian matrix [16:2] pp. 168–170.

Gonzalez-Galvan, E., Skaar, S.B., Korde, U.A. and Chen, W. Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation [16:2] pp. 240–257.

Gosselin, C.M. and St-Pierre, E. Development and experimentation of a fast 3-DOF camera-orientating device [16:5] pp. 619–630.

Iberall, T. Human prehension and dexterous robot hands [16:3] pp. 285–299.

Jimenez, M.A. and Gonzalez de Santos, P. Terrain-adaptive gait for walking machines [16:3] pp. 320–339.

Kanayama, Y. J. and Hartman, B. I. Smooth local-path planning for autonomous vehicles [16:3] pp. 263–284.

Kelly, R. PD control with desired gravity compensation of robotic manipulators: a review [16:5] pp. 660–672.

Kircanski, M. and Goldenberg, A.A. An experimental study of nonlinear stiffness, hysteresis, and friction effects in robot joints with harmonic drives and torque sensors [16:2] pp. 214–239.

Konno, A., Uchiyama, M., Kito, Y. and Murakami, M. Configuration-dependent vibration controllability of flexible-link manipulators [16:4] pp. 567–576.

Kriegman, D.J. Let them fall where they may: capture regions of curved objects and polyhedra [16:4] pp. 448–472.

LaValle, S.M. and Sharma, R. On motion planning in changing, partially- predictable environments [16:6] pp. 775–805.

Lee, D. and Recce, M. Quantitative evaluation of the exploration strategies of a mobile robot [16:4] pp. 413–447.

Li, T.-Y. and Latombe, J.-L. On-line manipulation planning for two robot arms in a dynamic environment [16:2] pp. 144–167.

Lim, D. and Seraji H. Configuration control of a mobile dexterous robot: real-time implementation and experimentation [16:5] pp. 601–618.

Massoud, A.T. and ElMaraghy, H.A. Model-based motion and force control for flexible-joint robot manipulators [16:4] pp. 529–544.

Merlet, J.-P. Designing a parallel manipulator for a specific workspace [16:4] pp. 545–556.

Miura, J. and Shirai, Y. Vision and motion planning for a mobile robot under uncertainty [16:6] pp. 806–825.

Monkman, G.J. An analysis of astrictive prehension [16:1] pp. 1–10.

Mukherjee, R., Emond, B.R. and Junkins, J.L. Optimal trajectory planning for mobile robots using Jacobian elliptic functions [16:6] pp. 826–839.

Ong, C.-J. On the quantification of penetration between general objects [16:3] pp. 400–409.

Pelletier, M. and Daneshmend, L. K. Automatic synthesis of robot compliant motions in dynamic environments [16:6] pp. 730–748.

Ponce, J., Sullivan, S., Sudsang, A., Boissonnat, J.-D. and Merlet, J.-P. On computing four-finger equilibrium and force-closure grasps of polyhedral objects [16:1] pp. 11–35.

Rossi, M., Wang, D. and Zuo, K. Issues in the design of passive controllers for flexible-link robots [16:4] pp. 577–588.

Rowe, N. C. Obtaining optimal mobile-robot paths with nonsmooth anisotropic cost functions using qualitative-state reasoning [16:3] pp. 375–399.

Sarkar, N., Yun, X. and Kumar, V. Control of contact interactions with acatastatic nonholonomic constraints [16:3] pp. 357–374.

Seng, J., Chen, Y.C. and O'Neil, K.A. On the existence and the manipulability recovery rate of self-motion at manipulator singularities [16:2] pp. 171–184.

Seraji, H. and Colbaugh, R. Force tracking in impedance control [16:1] pp. 97–117.

Sezgin, U. Seneviratne, L.D. and Earles, S.W.E. Collision avoidance in multiple redundant manipulators [16:5] pp. 714–724.

Sharma, S. and Ogot, M.M. An inverse dynamic model of a spherical electro- hydraulic actuator for use in a dexterous mechanical hand [16:4] pp. 557–566.

Svestka, P. and Overmars, M.H. Motion planning for carlike robots using a probabilistic learning approach [16:2] pp. 119–143.

Tchon, K. and Muszynski, R. Singularities of nonredundant robot kinematics [16:1] pp. 60–76.

Wallack, A.S. and Canny, J.F. Generalized polyhedral object recognition and localization using crossbeam sensing [16:4] pp. 473–496.

Wallack. A.S. and Canny, J.F Object recognition and localization from scanning beam sensors [16:5] pp. 631–659.

Won, J. Stramigioli, S. and Hogan, N. Comment on 'The equivalence of second- order impedance control and proportional gain explicit force control' [16:6] pp. 873–875.

Yoshikawa, T., Zheng, X.-Z. and Moriguchi, T. Display of operating feel of dynamic virtual objects with frictional surface [16:5] pp. 589–600.

Zanganeh, K. E. and Angeles, J. Kinematic isotropy and the optimum design of parallel manipulators [16:2] pp. 185–197.

Zhuang, H. A note on 'hand-eye' calibration [16:5] pp. 725–727.